

**New**

**SKINTOP® DIX-M AUTOMATION**



SKINTOP® DIX-M AUTOMATION

**Benefits**

- Optimum seal when using AS-I bus cables
- Easy insertion of pre assembled cables (with fieldbus or RJ-45 connector)
- Strain relief

**Application range**

- This seals can be used instead of our standard seals in the SKINTOP® cable glands.
- Switch cabinets
- Control panels
- Office applications
- Automation technology

**Approvals (Norm references)**



**Note**

- IP 68 can be achieved if the hole is optimally occupied, i. e. when using standard AS-I bus cables

**Design**

- True to dimension cut for AS-I bus cables
- Seal with hole and cut for easy insertion of pre assembled RJ-45 network cables
- Seal with hole and cut for easy insertion of pre assembled fieldbus cables
- Multiple seal inserts with holes and cuts for easy insertion of pre assembled cables

**Technical data**

<b>RAL</b>	<b>Colour delivered</b> RAL 9005 black
<b>Material</b>	NBR
<b>IP</b>	<b>Degree of protection</b> IP 54
<b>Temperature</b>	<b>Range of temperature</b> -40 °C up to +100 °C

Part number	Part designation / size	Number of cables x Cable Ø	Pieces / PU
<b>SKINTOP® DIX-M ASI</b>			
53611001	M 20	1 x AS-I	50
<b>SKINTOP® DIX-M ASI DUO</b>			
53611004	M 25	2 x AS-I	50
<b>SKINTOP® DIX-M RJ-45</b>			
53440980	M 25	1 x 5.4	50
<b>SKINTOP® DIX-M FIELDBUS</b>			
53440970	M 32	1 x 6.5	50
<b>SKINTOP® DIX-M CUTTED</b>			
53310444	M 40	3 x 10.0	25

**Accessories**

- SKINTOP® CLICK see page 643
- SKINTOP® MS-M see page 650
- SKINTOP® ST-M see page 641

ÖLFLEX®  
UNITRONIC®  
ETHERLINE®  
HITRONIC®  
EPIC®  
SKINTOP®  
SILVYN®  
FLEXIMARK®  
ACCESSORIES  
APPENDIX